interface of the two layers. The inner layer can be made from almost any material, for example, cellular plastic, as it is mainly intended as a base for the formation of the outer layer. Naturally, the inner layer may even be a metal tube. Any reinforcement known to the art, such as glass or other fibres, fabric, netting or similar can be added to the layers to reinforce them. As stated above, there may be several layers, when their materials and manners of manufacture may vary according to the prevailing requirements.

IN THE CLAIMS:

Please amend existing claim 3 with replacement claim as follows:

3. A post according to Claim 1, characterized in that at least one lead ends are connected to one or more connectors, at least in a lower section of the post.

<u>ATTACHMEN</u>T:

Attached hereto is a marked-up version of the changes made to the Claims and Abstract by the current amendment. The attachment is captioned "Version With Markings to Show Changes Made."

REMARKS

This reply is submitted pursuant to 35 U.S.C. §132 and 37 C.F.R. §1.111. The Office Action was carefully considered by the undersigned attorney and applicant. Reconsideration of the application is respectfully requested.

1. Summary of the Office Action.

Claims 1, 3-5 and 7-9 were pending.

Claim 3 stands objected to.

Claims 1, 3-5 and 7-9 stand rejected under 35 U.S.C §103(a) over Ventura-Berti ('594) in view of Savoca ('160).

2. Discussion.

Ventura-Berti (USP 5339594) in view of Savoca (USP 5335160). Claim 1 as once amended requires that a post have, *inter alia*, an electrically conductive lead which is integrally formed with and connected to a tube. Neither Ventura-Berti nor Savoca show this structure. Ventura-Berti does not show any conductive lead. Savoca shows a conductive lead but it is disposed in the hollow core of the post. Nowhere in the applied prior art is the conductive lead shown integrally disposed in the tube structure of a post. The examiner stated that it would be obvious "to combine Ventura-Berti and Savoca". Applicant respectfully disagrees because the advantages (for example, simplicity of assembly) provided by applicant's invention would have been apparent to Ventura -Berti and used by him, but for the unobviousness of applicant's structure. However, regardless of whether the combination of references *per se* is obvious or not, such combination would still fall short of meeting the claimed invention. The conductive lead must be integrally formed with the tube. Claim 1 as once amended is believed to be patentable and withdrawal of the rejection is requested.

Applicant wishes to clarify that he does not disclose or claim a "lead" (wire structure) constructed of lead

(the element (Pb) or material).

3. Conclusion.

The claims pending after this amendment are believed to be patentable for the reasons stated

above. The amendments are believed to be supported by the specification, claims and drawings as filed.

It is believed that this case is now in a condition for allowance. Reconsideration and favorable action are

respectfully requested.

Should the Examiner believe that telephone communication would advance the prosecution

of this case to finality, he is invited to call at the number below.

It is respectfully requested that, if necessary to effect a timely response, this paper be considered as

a Petition for an Extension of Time under 37 CFR 1.136(a), provided a Petition is not submitted

Date:

separately.

Please charge any fee due not paid by a check provided herewith, and/or charge any underpayment

6-25-02

in any fee, and/or credit any overpayment in fee, to Deposit Account No. 19-2381.

Respectfully submitted,

Joel D. Skinner, Jr.

Reg. No. 33,786

Skinner and Associates

619 Second Street, Suite 201 Hudson, Wisconsin 54016

Tel.: (715) 386-5800

FAX: (715) 386-6177

Internet e-mail: info@skinnerlaw.com

-4-

REQUEST FOR EXTENSION OF TIME
Pursuant to 37 C.F.R. 1.136(a), Applicant(s) requests that a point month extension be granted in which to file the attached communication from the applicant(s). A \$
Respectfully submitted, Date: 6-25-02 Joel D. Skinner, Jr.
Reg. No. 33,786

VERSION WITH MARKINGS TO SHOW CHANGES MADE

IN THE SPECIFICATION:

On page 3, please amend as follows:

As stated above, the construction of the post may, in practice, vary very greatly. One example of a construction may have a single plastic layer reinforced by a suitable laminating method and placed on top of a suitable inner layer 3, so that the wiring harness, suitably protected by the outer layer, lies in the interface of the two layers. The inner layer can be made from almost any material, for example, [celluar] cellular plastic, as it is mainly intended as a base for the formation of the outer layer. Naturally, the inner layer may even be a metal tube. Any reinforcement known to the art, such as glass or other fibres, fabric, netting or similar can be added to the layers to reinforce them. As stated above, there may be several layers, when their materials and manners of [manufcture] manufacture may vary according to the prevailing requirements.

IN THE CLAIMS:

3. (Three Times Amended) A post according to Claim 1, characterized in that at least

one lead ends [us] are connected to one or more connectors, at least in a lower section of the post.

-6-